



FENCING MASTER



PRODUCT CATALOGUE

DESIGN THE PERFECT OUTDOOR SPACE

Aluminium Flat Top Fence & Gate

Material :

- Aluminium / Steel



Size	Price \$	Match Posts	Price \$	Specification
1200mm (H) x 2400mm (W) Panel		50*50 1300mm high flanged post		Pickets: ø16mm tube. Top and bottom rail: 38x25mm tube. 26 pcs pickets. Centre: 90mm. Gap: 74mm. Powder coated satin black
		50*50 1800mm high inground post		
1200mm (H)x2000mm (W) Panel		50*50 1300mm high flanged post		
		50*50 1800mm high inground post		
1200mm (H)x3000mm (W) Panel		50*50 1600mm high flanged post		
		50*50 2100mm high inground post		
1200mm (H) x 970mm (W) Gate		50*50 1300mm high flanged post		
		50*50 1800mm high inground post		
1200mm (H) x 1475mm (W) Gate		50*50 1600mm high flanged post		
		50*50 2100mm high inground post		

Steel Flat Top Fence & Gate

Material :

- Aluminium / Steel



Size	Price \$	Match Posts	Price \$	Specification
1200mm (H) x 2200mm (W) Panel		50*50 1300mm high flanged post		Railing 25X25X1.2mm, picket 12.7*12.7x0.8mm, P to P net 105mm Sandy Black / Sandy Grey
		50*50 1800mm high inground post		
1200mm (H) x 900mm (W) Gate		50*50 1300mm high flanged post		
		50*50 1800mm high inground post		

Steel Ring Top Fence & Gate

Material :

- Steel



Size	Price \$	Match Posts	Price \$	Specification
1200mm (H) x 2200mm (W) Panel		50*50 1300mm high flanged post		Railing 25X25X1.2mm, picket 16*16x0.8mm, P to P net 95mm Sandy Black / Sandy Grey
		50*50 1800mm high inground post		
1200mm (H) x 900mm (W) Gate		50*50 1300mm high flanged post		
		50*50 1800mm high inground post		

Aluminium Double Top Rail Fence & Gate

Material :

- Aluminium / Steel



Size	Price \$	Match Posts	Price \$	Specification
1200mm (H) x 2400mm (W) Panel		50*50 1300mm high flanged post		Railing 38X25X1.5mm, picket ø16x1.2mm, centre 90mm, 8-point welded Powder coated satin black
		50*50 1800mm high inground post		
1500mm (H) x 2400mm (W) Panel		50*50 1600mm high flanged post		
		50*50 2100mm high inground post		
1200mm (H) x 970mm (W) Gate		50*50 1300mm high flanged post		
		50*50 1800mm high inground post		
1500mm (H) x 970mm (W) Gate		50*50 1600mm high flanged post		
		50*50 2100mm high inground post		

Security Fence

Material :

- Aluminium



Size	Price \$	Match Posts	Price \$	Specification
1800mm (H) x 2400mm (W)		65*65 1900mm high flanged post		Railing 40X40X1.5mm, Picket 25x25x1.2mm, Centre 140mm, full welded Powder coated satin black
		65*65 2400mm high inground post		
2100mm (H) x 2400mm (W)		65*65 2200mm high flanged post		
		65*65 2700mm high inground post		

Security Fence

Material :

- Steel



Item	Size	Price \$	Match Posts	Price \$	Specification
Heavy Duty Security Fence	1800mm (H) x 2400mm (W)		65*65 1900mm high flanged post		2 rails 40 x 40 x 2.5mm 19 pickets are 25x 25 x 1.6mm
			65*65 2400mm high inground post		
	2100mm (H) x 2400mm (W)		65*65 2200mm high flanged post		
			65*65 2700mm high inground post		
	2400mm (H) x 2400mm (W)		65*65 2500mm high flanged post		
			65*65 3000mm high inground post		
Security Fence	1800mm (H) x 2400mm (W)		65*65 1900mm high flanged post		2 rails 40 x 40 x 1.6mm 17pickets are 25x 25 x 1.2mm
			65*65 2400mm high inground post		
	2100mm (H) x 2400mm (W)		65*65 2200mm high flanged post		
			65*65 2700mm high inground post		
	2400mm (H) x 2400mm (W)		65*65 2500mm high flanged post		
			65*65 3000mm high inground post		
Light Commerical Security Fence	1800mm (H) x 2400mm (W)		65*65 1900mm high flanged post		2 rails 40 x 40 x 1.6mm 17pickets are 25x 25 x 0.8mm
			65*65 2400mm high inground post		
	2100mm (H) x 2400mm (W)		65*65 2200mm high flanged post		
			65*65 2700mm high inground post		
	2400mm (H) x 2400mm (W)		65*65 2500mm high flanged post		
			65*65 3000mm high inground post		

Aluminium Picket Infill Panel

Material :

- Aluminium



Item	Size	Price \$	Specification
Picket Ring Infill Fence Panel	Panel:3000 (W) x 600+900mm (H) + U channel for 38x25mm rail-3500mm		Powder coated satin black



Item	Size	Price \$	Specification
Spear Ring Infill Fence Panel	Panel:3000 (W) x 600mm (H) + U channel for 38x25mm rail-3500mm		Powder coated satin black

Aluminium Blade Infill Panel

Material :

- Aluminium



Item	Size	Price \$	Specification
Blade Infill Fence Panel	Panel:3000(W) x 600mm (H)		Powder coated satin black,monument 40mm GAP
	Panel:3000(W) x 600mm (H)		Powder coated satin black,monument 60mm GAP

Aluminium Blade Fence

Material :

- Aluminium / Steel




Size	Price \$	Match Posts	Price \$	Specification
900mm (H) x 2400mm (W)		65*65 1000mm high flanged post		Railing 40X40X1.5mm, Picket 65x16x1.2mm, Gap 40mm Railing 40X40X1.5mm, Picket 50x10x1.2mm, Gap 60mm Powder coated satin black+ monument
		65*65 1500mm high inground post		
1200mm (H) x 2400mm (W)		65*65 1300mm high flanged post		
		65*65 1800mm high inground post		
1500mm (H) x 2400mm (W)		65*65 1600mm high flanged post		
		65*65 2100mm high inground post		
1800mm (H) x 2400mm (W)		65*65 1900mm high flanged post		
		65*65 2400mm high inground post		

Aluminium Blade Gate

Material :

- Aluminium / Steel




Size	Price \$	Match Posts	Price \$	Specification
900mm (H) x 970mm (W)		65*65 1000mm high flanged post		Railing 50*50*2.5mm, picket 65x16x1.2mm, Gap 40mm / Gap 60mm Powder coated satin black+ monument
		65*65 1500mm high inground post		
1200mm (H) x 970mm (W)		65*65 1300mm high flanged post		
		65*65 1800mm high inground post		
1500mm (H) x 970mm (W)		65*65 1600mm high flanged post		
		65*65 2100mm high inground post		
1800mm (H) x 970mm (W)		65*65 1900mm high flanged post		
		65*65 2400mm high inground post		

Aluminium Rake Panel

Material :

- Aluminium



Size	Price \$
1500mm (H) x 2400mm (W)	

Aluminium Slat DIY Fence

Material :

- Aluminium



Garden Fence



Privacy Screen



Infill Panel

Size	Price \$	Match Posts	Price \$	Specification
1500mm (H) x 1500mm (W)		63.5*63.5 1600mm high flanged post		Material :Aluminium 6063 Slat: 65*16*1.2mm Spacing: 15mm U channel: 48*28*1.5mm C channel: 28*14*1.2mm Warranty : 10 years Powdered Coated Dark Grey, Grey, White, Sandy Grey, Cream, Timber, Primrose
		63.5*63.5 2100mm high inground post		
1500mm (H) x 1800mm (W)		63.5*63.5 1600mm high flanged post		
		63.5*63.5 2100mm high inground post		
1200mm (H) x 2400mm (W)		63.5*63.5 1300mm high flanged post		
		63.5*63.5 1800mm high inground post		
1500mm (H) x 2400mm (W)		63.5*63.5 1600mm high flanged post		
		63.5*63.5 2100mm high inground post		
1800mm (H) x 2400mm (W)		63.5*63.5 1900mm high flanged post		
		63.5*63.5 2400mm high inground post		
DIY Slat Kit		Slat: 65*16*1.2mm U channel: 30*30mm		We can customise any size you need.

Aluminium Slat Gate

Material :

- Aluminium



Size	Price \$	Specification
1200mm (H) x 1000mm (W)		<p>DIY SLAT GATE Material :Aluminium 6063 Slat: 65*16*1.2mm Spacing: 15mm U channel: 48*28*1.5mm Gate Frame: 50*50*2.5mm</p> <p>Colour Range Dark grey, grey, white, black, sandy grey, cream, primrose</p>
1500mm (H) x 1000mm (W)		
1800mm (H) x 1000mm (W)		
1500mm (H) x 1200mm (W)		<p>FULLY WELDED SLAT GATE Material :Aluminium 6063 Slat: 65*16*1.2mm Spacing: 5mm,10mm,15mm, No Gap U channel: 30*30*1.5mm Gate Frame: 50*50*2.5mm</p> <p>Note: We can customise any gate size you need.</p>
1800mm (H) x 1200mm (W)		
1500mm (H) x 1500mm (W)		
1500mm (H) x 1800mm (W)		

Aluminium Batten Fence

Material :

- Aluminium




Size	Price \$	Match Posts	Price \$	Specification
900mm (H) x 2400mm (W)		65*65 1000mm high flanged post		Railing 40X40X1.5mm, picket 38x16x1.2mm, 65x16x1.2mm, Gap 30mm Powder coated satin black
		65*65 1500mm high inground post		
1200mm (H) x 2400mm (W)		65*65 1300mm high flanged post		
		65*65 1800mm high inground post		
1500mm (H) x 2400mm (W)		65*65 1600mm high flanged post		
		65*65 2100mm high inground post		
1800mm (H) x 2400mm (W)		65*65 1900mm high flanged post		
		65*65 2400mm high inground post		

Aluminium Batten Gate

Material :

- Aluminium



Size	Price \$	Match Posts	Price \$	Specification
900mm (H) x 2400mm (W)		65*65 1000mm high flanged post		Railing 50*50*2.5, picket 38x16x1.2mm, 65x16x1.2mm, Gap 30mm Powder coated satin black
		65*65 1500mm high inground post		
1200mm (H) x 2400mm (W)		65*65 1300mm high flanged post		
		65*65 1800mm high inground post		
1500mm (H) x 2400mm (W)		65*65 1600mm high flanged post		
		65*65 2100mm high inground post		
1800mm (H) x 2400mm (W)		65*65 1900mm high flanged post		
		65*65 2400mm high inground post		

Aluminium Spear Ring Fence

Material :

- Aluminium



Size	Price \$	Match Posts	Price \$	Specification
1200mm (H) x 2400mm (W)		65*65 1300mm high flanged post		Railing 38X25X1.5mm, picket ø16x1.2mm, centre 107mm, 8-point welded Powder coated satin black
		65*65 1800mm high inground post		
1500mm (H) x 2400mm (W)		65*65 1600mm high flanged post		
		65*65 2100mm high inground post		
1800mm (H) x 2400mm (W)		65*65 1900mm high flanged post		
		65*65 2400mm high inground post		

Aluminium Picket Ring Fence

Material :

- Aluminium



Size	Price \$	Match Posts	Price \$	Specification
1200mm (H) x 2400mm (W)		65*65 1300mm high flanged post		Powder coated satin black
		65*65 1800mm high inground post		
1500mm (H) x 2400mm (W)		65*65 1600mm high flanged post		
		65*65 2100mm high inground post		

Aluminium Euro Spear Fence

Material :

- Aluminium



Specification	Match Posts
900mm(H) x 2400(W) Black	65*65 1000mm flanged post 65*65 1500mm inground post
1200mm(H) x 2400(W) Black	65*65 1300mm flanged post 65*65 1800mm inground post
1500mm(H) x 2400(W) Black	65*65 1600mm flanged post 65*65 2100mm inground post
1800mm(H) x 2400(W) Black	65*65 1900mm flanged post 65*65 2400mm inground post
600mm(H) x 3000(W) Black	

Aluminium Euro Spear Gate

Material :

- Aluminium



Specification	Match Posts
900mm(H) x 970(W) Black	65*65 1000mm flanged post 65*65 1500mm inground post
1200mm(H) x 970(W) Black	65*65 1300mm flanged post 65*65 1800mm inground post
1500mm(H) x 970(W) Black	65*65 1600mm flanged post 65*65 2100mm inground post
1800mm(H) x 970(W) Black	65*65 1900mm flanged post 65*65 2400mm inground post

Balustrade / Euro Balustrade

Material :

- Aluminium



Size		Match Posts	Price \$	Specification
950mm (H) x 2400mm (W)		76*76 1300mm flanged post		Powder coated satin black white monument
950mm (H) x 2400mm (W)	Stairs	76*76 1800mm flanged post		
950mm (H) x 2400mm (W)		76*76 1300mm flanged post		
950mm (H) x 2400mm (W)	Stairs	76*76 1800mm flanged post		

Customised Aluminium Slat Sliding Gate

Material :

- Aluminium



Gate Length Range	Price \$	Post Size	Motor Options	Specification
<= 3250MM		100*100mm 150*150mm Flanged or Inground Posts	Electric Motor Solar Motor	Top and Bottom Rails 75*75*3.2
3250MM - 4500MM				65*16*1.2 30*30*1.5
4500MM - 6500MM				Top and Bottom Rails 50*100*3.5
				50*50*2.0 65*16*1.2 30*30*1.5
				We can customise any size you need !

Aluminium Double Top Rail Sliding Gate

Material :

- Aluminium



Size	Price \$	Match Posts	Price \$	Specification
1500mm (H) x 6000mm (W)		100*100 1600mm high flanged post		Top frame: 50x50x3mm, bottom frame: 100x50x3mm, ø16x1.2mm, centre: 107mm, gap: 91mm Powder coated satin black
		100*100 2100mm high inground post		
1800mm (H) x 6000mm (W)		100*100 1900mm high flanged post		
		100*100 2400mm high inground post		

Aluminium Spear Ring Sliding Gate

Material :

- Aluminium



Size	Price \$	Match Posts	Price \$	Specification
1200mm (H) x 4500mm (W)		100*100 1300mm high flanged post		Top frame: 50x50x3mm, bottom frame: 100x50x3mm, ø16x1.2mm, centre: 107mm, gap: 91mm Powder coated satin black
		100*100 1800mm high flanged post		
1500mm (H) x 4500mm (W)		100*100 1600mm high flanged post		
		100*100 2100mm high flanged post		
1800mm (H) x 4500mm (W)		100*100 1900mm high flanged post		
		100*100 2400mm high flanged post		
1200mm (H) x 6000mm (W)		100*100 1300mm high flanged post		
		100*100 1800mm high flanged post		
1500mm (H) x 6000mm (W)		100*100 1600mm high flanged post		
		100*100 2100mm high flanged post		
1800mm (H) x 6000mm (W)		100*100 1900mm high flanged post		
		100*100 2400mm high flanged post		

Aluminium Blade Sliding Gate

Material :

- Aluminium



Size	Price \$	Match Posts	Price \$	Specification
1500mm (H) x 1000mm (W)		100*100 1600mm high flanged post		Top frame: 50x50x3mm, bottom frame: 100x50x3mm, picket: 65x16x1.2mm, centre: 56mm, gap: 40mm Powder coated satin black
		100*100 2100mm high inground post		
1500mm (H) x 1500mm (W)		100*100 1600mm high flanged post		
		100*100 2100mm high inground post		
1800mm (H) x 1000mm (W)		100*100 1900mm high flanged post		
		100*100 2400mm high inground post		
1800mm (H) x 1500mm (W)		100*100 1900mm high flanged post		
		100*100 2400mm high inground post		
1200mm (H) x 4000mm (W)		100*100 1300mm high flanged post		
		100*100 1800mm high inground post		
1200mm (H) x 5500mm (W)		100*100 1300mm high flanged post		
		100*100 1800mm high inground post		
1500mm (H) x 4000mm (W)		100*100 1600mm high flanged post		
		100*100 2100mm high inground post		
1500mm (H) x 5500mm (W)		100*100 1600mm high flanged post		
		100*100 2100mm high inground post		
1800mm (H) x 4000mm (W)		100*100 1900mm high flanged post		
		100*100 2400mm high inground post		
1800mm (H) x 5500mm (W)		100*100 1900mm high flanged post		
		100*100 2400mm high inground post		

Aluminium Blade Sliding Gate (New Design)


Material :

- Aluminium




Size	Price \$	Match Posts	Price \$	Specification
1200mm (H) x 4000mm (W)		100*100 1300mm high flanged post		Gap 60 mm Slat 50*10 mm Powder coated satin black, monument
		100*100 1800mm high inground post		
1200mm (H) x 5500mm (W)		100*100 1300mm high flanged post		
		100*100 1800mm high inground post		
1500mm (H) x 4000mm (W)		100*100 1600mm high flanged post		
		100*100 2100mm high inground post		
1500mm (H) x 5500mm (W)		100*100 1600mm high flanged post		
		100*100 2100mm high inground post		
1800mm (H) x 4000mm (W)		100*100 1900mm high flanged post		
		100*100 2400mm high inground post		
1800mm (H) x 5500mm (W)		100*100 1900mm high flanged post		
		100*100 2400mm high inground post		

Customised Pedestrian & Driveway Gates Colletion



Customised Pedestrian & Driveway Gates Colletion



Composite Decking

Material :

- Wood plastic composite (WPC) is a material created from a unique blend of natural wood and plastic fibres.
- BAL 19 (Bushfire Attack Level) Rating 19
- Slip Resistance Classification Class: P5



Board Dimension Length x Width x Thickness (mm)	Price \$	Colour Range
3D Wood Grain 5400x135x25 Hollow		Dark Grey Light Grey Brownish Red Original Wood Black Chocolate
3D Wood Grain 5400x140x20 Solid		
3D Wood Grain 5400x140x25 Solid		
3D Wood Grain 5400x135x25 Stair Board		
New Tech 2nd Generation CO-Extrusion 5400*148*23		Tangerine
New Tech 2nd Generation CO-Extrusion 5400*145*21		Four Colours available
New Tech 2nd Generation CO-Extrusion 5400*137*23		Six Colours available

Composite Cladding

Material :

- Wood plastic composite (WPC) is a material created from a unique blend of natural wood and plastic fibres.



Board Dimension Length x Width x Thickness (mm)	Price \$	Colour Range
2900x219x26		Oak, Teak, Chocolate, Black, Dark Grey, Antique
3600x219x26		
4000x219x26		
3000x57x57 L-Edge Skirting		
4000x57x57 L-Edge Skirting		

DIY Composite Fencing

Material :

- Wood plastic composite (WPC) is a material created from a unique blend of natural wood and plastic fibres.



Board Dimension Length x Width x Thickness (mm)	Price \$	Colour Range
<ul style="list-style-type: none"> • Standard Panel Size 1800x1800mm • Including 9 pcs of WPC panel board Board Size 1836x210x21mm • Including 1 @ 1800x1800mm post + aluminium U-cover+L-Clips 		Dark Grey Light Grey Brownish Red Original Wood Black
<ul style="list-style-type: none"> • Aluminium laser cut panel-1836x200mm 		Sandy Grey Cream

DIY Composite Fencing

Material :

- Wood plastic composite (WPC) is a material created from a unique blend of natural wood and plastic fibres.



Board Dimension Length x Width x Thickness (mm)	Price \$	Colour Range
<ul style="list-style-type: none"> • Standard panel Size 1800x1800mm • Including 9 pcs of WPC panel board Board Size 1836x205.5x21mm • Including 1 @ 68x68mm post + aluminium U-cover + L-clips 		<ul style="list-style-type: none"> Teak Antique Chocolate Dark Grey
<ul style="list-style-type: none"> • Aluminium laser cut panel-1806x200mm 		<ul style="list-style-type: none"> Sandy Grey Cream

Assembled Composite Fencing


Material :

- Wood plastic composite (WPC) is a material created from a unique blend of natural wood and plastic fibres.



Board Dimension Length x Height x Thickness (mm)	Price \$	Colour Range
<ul style="list-style-type: none"> • 1800x1800x39mm Assembled Basic Fence 		<ol style="list-style-type: none"> 1. Black panel , aluminium bar black colour
<ul style="list-style-type: none"> • 900x1800x39mm • Singal door for basic fence • Including WPC panel& aluminium bar, door lock accessories: aluminium door stop(1800mm), lock, hinges(3pcs), step bolts 		<ol style="list-style-type: none"> 2. Black panel , aluminium bar aluminium nature colour

Pergola & Awnings



Item	Price \$	Specification
DIY Pergola		Projection Length 435 x Width 300 x Frame Height 225-270cm Powder coated sandy grey
Aluminium Single Carport		Aluminium Single Carport Size 3*6*3m
Aluminium Double Carport		Aluminium Double Carport Size 6*6*3m Powder coated Dark Grey
Aluminium Carport		We can customise any size you need

Horse Round Yard Fencing & Gate



Item	Size	Price \$	Specification
Horse Round Yard Fence	<ul style="list-style-type: none"> – Dimensions: 1800mm(H) x 2100mm(W) – Vertical Frame Posts:40 x 40 x 1.6mm Galvanised RHS – Horizontal Rails:30 x 60mm 6 x 1.6mm Galvanised Oval Rail – Lock Pins: 2 x Solid cold zinc coated 		Surface: Galvanised to BS EN 13438 : 2005 & BS EN ISO 1461:2009 with a minimum zinc coating weight of 60 g:m²
Horse Round Yard Gate	<ul style="list-style-type: none"> – Dimensions: 2300mm(H) x 2100mm(W) – Vertical Frame Posts:40 x 40 x 1.6mm Galvanised RHS – Horizontal Rails:30 x 60mm 6 x 1.6mm Galvanised Oval Rail – Lock Pins: 2 x Solid cold zinc coated – with chain catches or slam catches 		

Palisade Fence



Item	Size	Price \$	Specification
Pales	68mmx 3.0mm Thick x 2350mm Long		Surface: Galvanised to BS EN 13438 : 2005 & BS EN ISO 1461:2009 with a minimum zinc coating weight of 500 g:m² + powder coated 80-90um with Akzo Nobel- 600 series powder and pass 500H-1000H salty spray Powder coated to BS EN13438.
Horizontal Angle Rails	2 L shaped Rails @ 50x50x5mm x 2730mm long		
Fish Plate	2-off fishplate connectors @ 150 x 30 x5mm		
H-Post	1 RSJ Dig-in post @ 100x55x3.6mm thick x3000mm long		with a minimum zinc coating weight of 550 g:m² + powder coated 80-90um with Akzo Nobel
Bolts	34 number M8 X 40mm Grade 8.8 T-Head Bolts with Shear-Off Nut.		Surface: Galvanised to BS EN 13438 : 2005 & BS EN ISO 1461:2009 with a minimum zinc coating weight of 300 g:m²
Bolts	4 number M12 x 30mm Grade 8.8 Cup Square Bolts with anti-vandal shear nuts		
Pales	68mmx 3.0mm Thick x 2350mm Long		Surface: Galvanised to BS EN 13438 : 2005 & BS EN ISO 1461:2009 with a minimum zinc coating weight of 60 g:m² + powder coated 80-90um with Akzo Nobel- 600 series powder and pass 500H-1000H salty spray Powder coated to BS EN13438.
H-Post	1 RSJ Dig-in post @ 100x55x3.6mm thick x3000mm long		
Horizontal Angle Rails	2 L shaped Rails @ 50x50x5mm x 2730mm long		
Fish Plate	2-off fishplate connectors @ 150 x 30 x5mm		with a minimum zinc coating weight of 100 g:m² + powder coated 80-90um with Akzo Nobel
Bolts	34 number M8 X 40mm Grade 8.8 T-Head Bolts with Shear-Off Nut.		Surface: Galvanised to BS EN 13438 : 2005 & BS EN ISO 1461:2009 with a minimum zinc coating weight of 300 g:m²
Bolts	4 number M12 x 30mm Grade 8.8 Cup Square Bolts with anti-vandal shear nuts		

CONTACT US

Heriton Sydney

Unit B/290 Parramatta Road, Auburn,
NSW 2144

T (02) 5657 8989


M 0416 355 290

M 0455 666 999 (Mandarin)

Email: info@heritonfencing.com.au

WeChat: halibaba777

www.heritonfencing.com.au



Heriton Melbourne

18 Commercial Drive, Dandenong South,
VIC 3175


T (03) 9768 2895

M 0456 629 999

Email: yolanda@heritonfencing.com.au

WeChat: heritonfencing

www.heritonfencing.com.au



Heriton Canberra

Unit 15, 51-55 Kembla Street, Fyshwick,
ACT 2609


T (02) 6247 7888

M 0413599977

Email: info@heritoncanberra.com.au

WeChat: HeritonCanberra

www.heritonfencing.com.au



Heriton Brisbane

62 Achievement Crescent, Acacia Ridge, QLD
4110

T (07) 3736 0904

M 0423 888 789

M 0411 789 666

Email: info@heriton.net

WeChat: Fence9999

www.heritonfence.com.au

